

Exclusive Quilt Design by Larene Smith of The Quilted Button for Camelot Fabrics  
 Fabric collection: The Alchemy Collection by Camelot Design Studio from Camelot Fabrics  
 The direction of the fabrics in the digital imagery may not be accurate to the final product.

Fabric requirements

- |   |   |   |
|---|---|---|
|    |    |   |
| Fabric A<br>2143304 #1<br>1/4 yard  | Fabric B<br>2143301 #2<br>1/2 yard  |   |
|    |    |   |
| Fabric C<br>2143302 #1<br>1/3 yard  | Fabric D<br>2143303 #3<br>1 yard<br>(includes binding)                                |   |
|    |    |   |
| Fabric E<br>2143306 #2<br>1/4 yard  | Fabric F<br>2143304 #2<br>1/4 yard  |   |
|    |    |   |
| Fabric G<br>2143302 #3<br>1/4 yard  | Fabric H<br>2143304 #3<br>1/2 yard  |   |
|  |  |   |
| Fabric I<br>2143305 #2<br>1/4 yard  | Fabric J<br>2143301 #3<br>1/2 yard  |   |
|  |  |   |
| Fabric K<br>2143301 #1<br>2-1/4 yards   | Fabric L<br>2143305 #3<br>1/4 yard  |   |
|  |  |   |
| Fabric M<br>2143302 #2<br>1/3 yard  | Fabric N<br>2143303 #2<br>1/2 yard  |   |
|  |  |   |
| Fabric O<br>2143305 #2<br>1/4 yard  | Backing:<br>2143306 #1<br>3-5/8 yards   |   |
|   |  |  |
| Fabric P (Sashing)<br>214-0001 White<br>1/2 yard                                      | Fabric Q (Sashing)<br>214-0001 White<br>1/2 yard                                      | Fabric R (Sashing)<br>214-0001 White<br>1-1/8 yards                                   |

Finished Quilt Size: 56" x 71"



Blog, Facebook, Twitter @CamelotFabrics  
 Pinterest, YouTube & Instagram @Camelot\_Fabrics  
 camelotfabrics.com • camelotfabricsblog.com  
 Toll-Free: 1-800-361-4120 • 514-382-2400  
 info@camelotfabrics.com • www.camelotfabrics.com

## OTHER TOOLS & SUPPLIES

2-1/4 yds quilt batting (58" wide)

Rotary Cutter, Mat, Rulers (a 15-1/2" square ruler would be helpful), Straight Pins, Sewing machine, and threads to match your fabrics.

## NOTES

For best results, read all directions before beginning.

Use an accurate 1/4" seam allowance for all sewing.

WOF = Width of Fabric.

Press all seams open unless directed, to decrease bulk.

Finished Block is 15" square.

Sashing is 1/2" finished.

To prevent confusion, group the pieces as you cut, according to their intended blocks.

## CUTTING

Fabric A – Cut (1) strip at 7" x WOF

Sub-cut into (5) 7" x 4-1/2" rectangles

(Blocks F, H, I, J, K).

Fabric B – Cut (1) strip at 11-1/2" x WOF

Sub-cut into (5) 11-1/2" x 7" rectangles

(Blocks B, C, D, E, G).

Fabric C – Cut (2) strips at 4" x WOF

Sub-cut into (5) 4" x 11-1/2" rectangles

(Blocks F, H, I, J, K).

Fabric D – Cut (1) strip at 15-1/2" x WOF

Sub-cut into (5) 15-1/2" x 4" rectangles

(Blocks F, H, I, J, K).

Cut (7) 2-1/2" x WOF strips for Binding.

Fabric E – Cut (1) strip at 4-1/2" x WOF

Sub-cut into (2) 4-1/2" squares

(Blocks A and L).

Fabric F – Cut (1) strip at 7" x WOF

Sub-cut into (5) 7" x 4-1/2" rectangles

(Blocks B, C, D, E, G).

Fabric G – Cut (1) strip at 4" x WOF

Sub-cut into (2) 4" x 11-1/2" rectangles

(Blocks A and L).

Fabric H – Cut (1) strip at 15-1/2" x WOF

Sub-cut into (2) 15-1/2" x 4" rectangles

(Blocks A and L).

Fabric I – Cut (1) strip at 4-1/2" x WOF

Sub-cut into (5) 4-1/2" squares

(Blocks F, H, I, J, K).

Fabric J – Cut (1) 7" x WOF strip -  
sub-cut (2) 11-1/2" x 7" rectangles  
(Blocks A and L).

Fabric K - Cut as follows:

a. Cut (3) strips at 4" x WOF. Join  
end-to-end, then sub-cut into  
(2) 4" x 56" rectangles  
(Top/Bottom Outer Border).

b. Cut (2) strips at 4-1/4" x 64" along  
the selvage  
(Sides Outer Border).

c. From the balance of the fabric cut  
(5) 7" x 11-1/2" rectangles  
(Blocks F, H, I, J, K).

Fabric L – Cut (1) strip at 7" x WOF

Sub-cut into (2) 7" x 4-1/2" rectangles

(Blocks A and L).

Fabric M – Cut (2) strips at 4" x WOF

Sub-cut into (5) 4" x 11-1/2" rectangles

(Blocks B, C, D, E, G).

Fabric N – Cut (1) strip at 15-1/2" x WOF

Sub-cut into (5) 15-1/2" x 4" rectangles

(Blocks B, C, D, E, G).

Fabric O – Cut (1) strip at 4-1/2" x WOF

Sub-cut into (5) 4-1/2" squares

(Blocks B, C, D, E, G).





Fabric P – Cut as follows for Blocks B, D, F, H, J, and L:

- a. Cut (1) strip at 15-1/2" x WOF – Sub-cut into (6) 15-1/2" x 1" rectangles.
- b. From the balance of the fabric cut (12) 11-1/2" x 1" rectangles and (6) 4-1/2" x 1" rectangles.

Fabric Q – Cut as follows for Blocks A, C, E, G, I, and K:


- a. Cut (1) strip at 15-1/2" x WOF – Sub-cut into (6) 15-1/2" x 1" rectangles.
- b. From the balance of the fabric cut (12) 11-1/2" x 1" rectangles and (6) 4-1/2" x 1" rectangles.

Fabric R – Cut as follows:


- a. Cut (4) strips at 1" x WOF – Sub-cut into (8) 1" x 15-1/2" rectangles (Vertical Sashing).
- b. Cut (5) strips at 1" x WOF and join end-to-end, then sub-cut into (3) 1" x 46-1/2" rectangles (Horizontal Sashing).
- c. Cut (6) strips at 1-1/2" x WOF and join end-to-end, then sub-cut into (2) 1-1/2" x 62" rectangles (Sides Inner Border) and (2) 1-1/2" x 48-1/2" rectangles (Top/Bottom Inner Border).

## SEWING THE BLOCKS

Note: The same method is used for sewing each block, except that Blocks B, D, F, H, J & L are sewn with the fabrics' patterns "upside down" as these blocks will be rotated 180° in the quilt's final assembly. Use the Cover image and the Block Layout on page 6 as guides, and sew (1) block at a time.




1. Sew (1) Sashing 1" x 4-1/2" rectangle to the Bottom of (1) 4-1/2" x 7" rectangle. Add (1) 4-1/2" square below the Sashing.




2. Sew (1) Sashing 1" x 11-1/2" rectangle and (1) 7" x 11-1/2" rectangle to the Left of this unit to measure 11-1/2" square.




3. Sew (1) 1" x 11-1/2" Sashing rectangle to the Bottom of this square.



4. Sew (1) 4" x 11-1/2" rectangle to the Bottom of the Sashing just sewn to measure 11-1/2" x 15-1/2".



5. Sew (1) 1" x 15-1/2" Sashing rectangle to the Right side of this composite rectangle.




6. Sew (1) 4" x 15-1/2" rectangle to the Sashing just sewn to finish at 15-1/2" square.

This completes Block A; all other blocks are sewn in the same manner, using different fabrics as indicated in the Block Layout diagram. Remember to pay special attention to the blocks' orientation!

## QUILT CENTER

Row 1 – Block A, Fabric R 1" x 15-1/2" Vertical Sashing, Block B, Fabric R 1" x 15-1/2" Vertical Sashing, Block C to measure 46-1/2" x 15-1/2".















Rows 2, 3, and 4 are prepared exactly the same as Row 1, except that they use the remaining blocks as shown in the Block Layout.

Sew the rows together by inserting a Fabric R Horizontal Sashing strip (1" x 46-1/2") between each row to finish the quilt center at 46-1/2" x 62".

# BLOCK LAYOUT

Note - Grey letters indicate which fabric is used in each piece.



## BORDERS

1. Sew (1) Fabric R 1-1/2" x 62" Inner Border to each side, then sew (1) Fabric R 1-1/2" x 48-1/2" Inner Border each to the Top and Bottom to measure 48-1/2" x 64".
2. Sew (1) Fabric K 4-1/4" x 64" Outer Border to each side, then sew (1) Fabric K 4" x 56" Outer Border each to the Top and Bottom to finish the quilt top at 56" x 71".

## FINISHING

1. Layer the backing, batting, and quilt top and quilt as desired.
2. Bind the quilt with Fabric J strips joined end-to-end.

