

Peaks and Valleys Table Runner (D-025A)



Exclusive design by Melissa Corry of Happy Quilting Designs for Camelot Fabrics
Fabric collection: Zoey by Camelot Design Studio from Camelot Fabrics



Blog, Facebook, Twitter @CamelotFabrics
Pinterest, YouTube & Instagram @Camelot_Fabrics
camelotfabrics.com • camelotfabricsblog.com
Toll-Free: 1-800-361-4120 • 514-382-2400
info@camelotfabrics.com • www.camelotfabrics.com

Fabric requirements



Fabric A: 2142506 #4
1/8 yard



Fabric B: 2142503 #3
1/8 yard



Fabric C: 2142504 #1
1/8 yard



Fabric D: 2142506 #3
1/8 yard



Fabric E: 2142502 #3
1/8 yard




Fabric F: 2142503 #2
1/8 yard



Fabric G: 214-0001 White
3/4 yard



Fabric H: 2142506 #2
1/3 yard



Suggested Backing: 2142502 #2
3/4 yard

Finished Size: 14" x 50"

OTHER TOOLS & SUPPLIES

- 1/2 yard of quilt batting (58" wide) from Camelot Fabrics
- sewing machine & coordinating thread
- rotary cutter & fabric shears
- paper printer
- paper scissors
- straight edge ruler & measuring tape
- straight pins
- fabric marker or pencil


NOTES

- WOF = width of fabric (42")
- HST = half square triangle
- Unless otherwise directed, sew all seams with an accurate 1/4" seam allowance.
- Please wash, dry & iron your fabric before beginning, and trim selvages.

CUTTING



Accent - From each:

Cut (1) 3" x WOF strip - sub-cut (10) 3" squares.



Accent - From each:


Cut (1) 3" x WOF strip
- sub-cut (5) 3" squares.



Fabric G - Background


Cut (4) 3" x WOF strips - sub-cut (50) 3" squares.

Cut (2) 6-1/2" x WOF strips - sub-cut (25) 2-1/2" x 6-1/2" rectangles.



Fabric H - Binding

Cut (4) 2-1/2" x WOF strips.




Backing

Cut (2) 16" x 27" rectangles.

PIECING THE TABLE RUNNER

1. Draw a diagonal line through the center of each Accent square.
2. Place each Accent square on a Background square, Right Sides facing, and sew the pieces together $\frac{1}{4}$ " from either side of the line.
3. Cut along the line to create (2) HST units. Press the seam toward the Accent fabric.



Repeat to make (2) HST units from all Accent & Background fabric 3" squares.

4. Trim each HST unit to 2-1/2" square, as necessary.
5. Referring to the Assembly Layout, arrange the HST units & Background rectangles in (25) rows. Each row will contain (1) Background rectangle & (4) HST units. Press the seams open.
6. Join the rows top-to-bottom, and press the seams open.

This completes the table runner's top.

FINISHING

1. Join the Fabric H Binding strips end-to-end, and press the seams open. Press the composite strip into double-fold binding.
2. Join the (2) Backing rectangles along a pair of 16" edges, and press the seam open.
3. Layer the top, backing & batting, with the fabrics' Right Sides outward. Baste & quilt as desired, and bind with Fabric H.

ASSEMBLY LAYOUT

