




Around the Block Pillow (D-014)



Exclusive Pillow Design by Kristy Daum for Camelot Fabrics
 Fabric collection: Indigo Rose by Sarah B. for Camelot Fabrics.
 The direction of the fabrics in the digital imagery may not be accurate to the final product.




Blog, Facebook, Twitter @CamelotFabrics
 Pinterest, YouTube & Instagram @Camelot_Fabrics
 camelotfabrics.com • camelotfabricsblog.com
 Toll-Free: 1-800-361-4120 • 514-382-2400
 info@camelotfabrics.com • www.camelotfabrics.com

Fabric requirements



Fabric A: 26170108J #1
 1-1/8 yard
 (includes binding
 and back panels)



Fabric B: 26170105J #2
 1/4 yard



Fabric C: 26170112J #1
 1/4 yard



Fabric D: 26170103J #1
 1/4 yard



Fabric E: 2141-0001
 1/4 yard



Fabric F: 26170111J #1
 1/4 yard



Backing for quilted pillow front:
 214-0001 White
 2/3 yard



Fabric G:
 214-0001 White
 1/4 yard

Finished size: 18" x 18"

OTHER TOOLS & SUPPLIES

- 18" square pillow form
- 21" square of quilt batting
- sewing machine & coordinating thread
- rotary cutter & fabric shears
- straight edge ruler & measuring tape
- straight pins
- fabric marker or pencil

NOTES

- Please read through all directions before beginning.
- Wash, dry & iron your fabric before beginning, and trim selvages.
- Unless otherwise noted, sew all seams with a scant 1/4" allowance.
- Press seams open as you go.
- RST = Right Sides Together.
- WOF = Width of Fabric (42").
- Directional prints will require extra yardage.

CUTTING

Fabric A

Cut (2) 19-1/2" x 24-1/2" rectangles, (2) 2-1/2" x WOF strips for binding & (2) 5" squares.

Fabric B

Cut (2) 5" squares.

Fabric C

Cut (4) 1-1/2" x 4-1/2" rectangles, (4) 1-1/2" x 5-1/2" rectangles & (4) 1-1/2" x 8-1/2" rectangles.

Fabric D

Cut (2) 5" squares.

Fabric E

Cut (2) 5" squares.

Fabric F

Cut (2) 5" squares.

Fabric G

Cut (6) 5" squares.


Backing for quilted front

Cut (1) 21" square.




MAKING HST UNITS


1. Take (1) Fabric G 5" x 5" square and (1) Fabric E 5" x 5" square, and place them RST.





2. With a pencil, mark a diagonal line between opposite corners.



3. Sew a scant 1/4" away from the pencil line on both sides.



4. Cut on the line, separating the two halves; this creates (2) HST units.



5. Repeat the process above using the following fabric combinations to yield all the HST units you need for this pillow. Note: each pair of squares yields (2) HST units. If you are using directional fabric, pay attention to the direction of your diagonal line.

Make (4) Fabric F & A HST units.

Make (4) Fabric G & B HST units.

Make (4) Fabric G & D HST units.


Make (4) Fabric G & E HST units (including the one you made in Steps 1-4).

6. Trim all HST units to 4-1/2" square.




MAKING HST BLOCKS

1. Sew a 1-1/2" x 4-1/2" Fabric C rectangle to the right-hand side of a Fabric A-F HST unit.




2. Sew a 1-1/2" x 5-1/2" Fabric C rectangle to the bottom of the Fabric A-F HST unit.




3. Repeat Steps 1 & 2 to make the remaining (3) corner units.


3. Repeat Steps 1 & 2 to make the remaining (3) corner units.




Top Left



Top Right





Bottom Left



Bottom Right

4. Sew a Fabric G-B HST unit to a Fabric G-D HST unit to create a flying goose unit. Sew a 1-1/2" x 8-1/2" Fabric C rectangle to the top of this unit.

Make (4), paying attention to the direction of patterns.



PIECING THE PILLOW TOP

1. Sew the (4) Fabric G-E HST units to form a square as shown.
2. Piece the blocks in rows according to the pillow illustration on Page 1, and join the rows to finish piecing the Pillow Top.

QUILTING THE PILLOW TOP

This pillow is made much like a small quilt, so batting & backing will be added to the top.


1. Layer the Pillow Top, batting & Pillow Top Backing, with the batting in the middle.
2. Baste & quilt as desired.
3. Square up the Top.

PREPARING THE PILLOW BACK

1. Fold each 19-1/2" x 24-1/2" Fabric A rectangle in half to form (2) 19-1/2" x 12-1/4" rectangles.
2. Sew along the folds with a 1/2" stitch line, then a 1" stitch line, for decorative finish.
3. Trim the Back pieces to match the width of the Pillow Top.

FINISHING THE PILLOW

1. Place the Pillow Top face down on your work surface.
2. Line up the Backing rectangles with the outer edges of the Pillow so that their folded edges overlap at the center of the pillow. They should be Right Side up.
3. Baste the Backing rectangles to the Pillow Top, Wrong Sides together, around all (4) edges.



4. Join your Fabric A strips end-to-end and use them to bind your pillow.
5. Insert the 18" square pillow form and relax!